

The logo for ENERGIOS features the word "ENERGIOS" in a bold, sans-serif font. The letter "E" is blue, while the "N" is a vibrant yellow. The remaining letters "E", "R", "G", "I", "O", and "S" are all in blue. A soft, grey shadow is cast beneath the letters, giving the logo a three-dimensional appearance.

ENERGIOS

**OFERTA
ENERGIOS SP. Z O. O.**



ENERGOS Sp. z o.o.

wykonuje w pełnym zakresie:

- Gięcie blach na hydraulicznej prasie krawędziowej CNC DENER PUMA XL 220-30
- Cięcie i palenie blach na przecinarce plazmowej CNC STIGAL VXstandard
- kompleksowe wykonawstwo konstrukcji stalowych
- remonty maszyn i urządzeń przemysłowych
- spawanie metodami MAG i TIG
- obróbka skrawaniem
- montaż konstrukcji stalowych u klienta

PARAMETRY TECHNICZNE PRASY KRAWĘDZIOWEJ CNC DENER PUMA XL 220-30:

NACISK: 220 TON

MAX. SZEROKOŚĆ ROBOCZA: 3050 MM

MAX. GRUBOŚĆ MATERIAŁU DO GIĘCIA:

- 12MM W DŁUGOŚCI 3M

- 20MM W DŁUGOŚCI 2M

PARAMETRY PRZECINARKI PLAZMOWO-GAZOWEJ VXstandard:

MAX. ROZMIAR ARKUSZA BLACHY: 2000X3000 mm

MAX. GRUBOŚĆ CIĘCIA PLAZMĄ: 20 mm

MAX. GRUBOŚĆ CIĘCIA TLENEM: 100 mm

MOŻLIWOŚĆ CIĘCIA MIEDZI I BLACH NIERDZEWNYCH

MOŻLIWOŚĆ PUNKTOWANIA PLAZMOWEGO

MIEJSC GIECIA, SPAWANIA, WIERENIA itp.

